DEWALT®

DEWALT

POWER SHIFT

NO PETROL. NO CORDS.
NO JOB TOO BIG.

NEWS

FEBRUARY – MAY 2025

https://cee.DEWALT.global

GUARANTEED TOUGH®

The global construction industry contributes 23% of the world's CO^2 emissions across it's entire supply chain.
Approximately 5.5% of these emissions come directly from activities on construction sites, predominantly throug the combustion of fossil fuels to power machinery and equipment*.
CHANGE YOUR TOOL TO CORDLESS INSTEAD OF PETROL!

* Big Buyers inititive Factsheet for Policymakers.

Read more about the POWERSHIFT™ adventages in this leaflet.

DEWALT

END TO END SOLUTIONS

FROM PREP TO

DEWALT® CAN SUPPLY HIGHEN
FOR CONCRETE APPLICATIONS

PREPARATION

DEMOLITION & REINFORCEMENT

TILT

18V XR | 54V XR FLEX VOLT | DEWALT POWER SHIFT

CONCRETE TOTAL SOLUTIONS™

PLACEMENT

D QUALITY TOOLS WITHIN:

UP

WOOD FORMING



CUT & CORE

PERFORM PROTECT™

TOUGHSYSTEM® 2.0

ELITE SERIES™

TOUGH CASE+™

SELECTED BEST PRACTICE

CONCRETE SOLUTIONS FOR PREPERATION & PLACEMENT

E TOOLS FOR THE APPLICATION

PREPARATION	
DCBPS0554-XJ	POWERSHIFT™ 554 W BATTERY
DCBPSC0550-QW	POWERSHIFT™ 550 W CHARGER
DCPS660N-XJ	POWERSHIFT™ RAMMER
DCPS7154N-XJ	POWERSHIFT™ PLATE COMPACTOR
DCH966Z2-QW	54V XR FLEXVOLT® 28 MM HEX DEMOLITION HAMMER - 2 X 15 AH
DCB549-XJ	54V XR FLEXVOLT® 15 AH BATTERY
DWV905H-QS	38 L M-CLASS WET/DRY DUST EXTRACTOR
DWH052-XJ	DEMOLITION DUST EXTRACTION SYSTEM
DT6927-QZ	28 MM X 400 MM POINTED HEX CHISEL
DT6928-QZ	28 MM HEX SPADE BIT
DT6934-QZ	445 MM HEX BIT ASPHALT CUTTER
DCE6820N-XJ	18V XR® WATER TANK
DCE079D1G-QW	18V XR® GREEN ROTARY LASER - 1 X 2 AH
DE0735-XJ	5/8" ELEVATED TRIPOD
DE0737-XJ	2.4 M ALUMINIUM GRADE ROD
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWHT47408-0	6:1 CHALK REEL KIT

PLACEMENT	
DCBPS0554-XJ	POWERSHIFT™ 554 W BATTERY
DCBPSC0550-QW	POWERSHIFT™ 550 W CHARGER
DCPS310N-XJ	POWERSHIFT™ BACKPACK VIBRATOR
DCPS320N-XJ	POWERSHIFT™ POWERPACK VIBRATOR
DCPS3382-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 38 MM HEAD X 2 M
DCPS3385-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 38 MM HEAD X 5 M
DCPS3502-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 50 MM HEAD X 2 M
DCPS3505-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 50 MM HEAD X 5 M
DCPS3592-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 59 MM HEAD X 2 M
DCPS3595-XJ	POWERSHIFT™ VIBRATOR HIGH FREQUENCY HOSE 59 MM HEAD X 5 M
DCPS330N-XJ	POWERSHIFT™ VIBRATING SCREED
DCS691X2-QW	54V XR FLEXVOLT® 230 MM CUT OFF SAW
DCB549-XJ	54V XR FLEXVOLT® 15 AH BATTERY
DT20462-QZ	ELITE SERIES™ 230 MM ALL PURPOSE SEGMENTED
DCG418X2-QW	54V XR FLEXVOLT® 125 MM ANGLE GRINDER - 2 X 9 AH
DT40252-QZ	EXTREME® 125 MM X 22.23 MM X 1.3 MM DIAMOND DISC
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWHT36928-0	8 M X 32 MM PREMIUM TAPE MEASURE

SELECTED BEST PRACTICE

CONCRETE SOLUTIONS FOR DEMOLITION & REINFORCEMENT

E TOOLS FOR THE APPLICATION

WALL BREACHING	
DCS691X2-QW	54V XR FLEXVOLT® 230MM CUT OFF SAW
DCE6820N-XJ	18V XR® WATER TANK
DT20462-QZ	ELITE SERIES™ 230 MM ALL PURPOSE SEGMENTED
DCH911X3-QW	54V XR FLEXVOLT® 11 KG DEMOLITION HAMMER - 3 X 9 AH
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DWH051-XJ	CHISELING DUST EXTRACTION SYSTEM
DT6888-QZ	300 MM SDS-max® XLR POINTED CHISEL
DT6811-QZ	300 MM X 25 MM SDS-max® XLR FLAT CHISEL
DWST08510-1	TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS
DWST08520-1	TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS
DWST08530-1	TOUGHSYSTEM® 2.0 DXL DOLLY
DWST08550-1	TOUGHSYSTEM® 2.0 DXL WORK TOP

WALL SUPPORT INSTALLATION	
DCH614X2-QW	54V XR FLEXVOLT® 45 MM SDS-max® HAMMER DRILL - 2 X 9 AH
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DCN890P2-QW	18V XR® BRUSHLESS CONCRETE NAILER - 2 X 5 AH
DCF900H2T-QW	18V XR® BRUSHLESS 1/2" HOG RING HIGH TORQUE IMPACT WRENCH - 2 x POWERSTACK™ 5 AH
DT7506-QZ	EXTREME® IMPACT SOCKET SET (17 PCS.)
DCF860E2T-QW	18V XR® BRUSHLESS PREMIUM IMPACT DRIVER - 2 x POWERSTACK™ 1.7 AH
DWST08510-1	TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS
DWST08520-1	TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS
DWST08530-1	TOUGHSYSTEM® 2.0 DXL DOLLY
DWST08550-1	TOUGHSYSTEM® 2.0 DXL WORK TOP

REBAR REPLACEMENT	
DCH966Z2-Qw	54V XR FLEXVOLT® 28 MM HEX DEMOLITION HAMMER - 2 X 15 AH
DWV905M-QS	38 L M-CLASS WET/DRY DUST EXTRACTOR
DWH052-XJ	DEMOLITION DUST EXTRACTION SYSTEM
DT6927-QZ	28 MM x 400 MM POINTED HEX CHISEL
DT6928-QZ	28 MM HEX SPADE BIT
DT6934-QZ	445 MM HEX BIT ASPHALT CUTTER
DCH614X2-QW	54V XR FLEXVOLT® 45 MM SDS-max® HAMMER DRILL - 2 X 9 AH
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DCS691X2-QW	54V XR FLEXVOLT® 230 MM CUT OFF SAW
DT20462-QZ	ELITE SERIES™ 230 MM ALL PURPOSE SEGMENTED
DWST08510-1	TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS
DWST08520-1	TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS
DWST08530-1	TOUGHSYSTEM® 2.0 DXL DOLLY
DWST08550-1	TOUGHSYSTEM® 2.0 DXL WORK TOP

SELECTED BEST PRACTICE

CONCRETE SOLUTIONS FOR TILT UP

E TOOLS FOR THE APPLICATION

REVEAL STRIP	
DCS578NT-XJ	54V XR FLEXVOLT® 190 MM CIRCULAR SAW - BARE TOOL ONLY
DT10304-QZ	EXTREME® 190 MM X 30 MM 24 T CIRCULAR SAW BLADE
DCH273H2T-QW	18V XR® BRUSHLESS 24 MM SDS-plus® HAMMER DRILL - 2 X POWERSTACK™ 5 AH
DWH161N-XJ	18V XR® UNIVERSAL DUST EXTRACTOR - BARE TOOL ONLY
DWH201D-XJ	SDS-plus® DUST COLLECTOR SET
DT8976-QZ	ELITE SERIES™ SDS-plus® FULL HEAD CARBIDE 4-CUTTER DRILL BIT SET (7 PCS.)
DCN680N-XJ	18V XR® BRUSHLESS 18 GA SECOND FIX NAILER - BARE TOOL ONLY
DWST50113-1	LEATHER TOOL RIG
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX

WALL PANEL FORMS	
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE
DCS577N-X	54V XR FLEXVOLT® 190 MM HIGH TORQUE CIRCULAR SAW - BARE TOOL ONLY
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DT40270-QZ	EXTREME® RUNTIME™ 190 MM 24 T CIRCULAR SAW BLADE
DCN930P2-QW	18V XR® 33° CORDLESS FRAMER - 2 X 5 AH
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE

TILT WALL BRACING	
DWHT36928-0	8 M X 32 MM PREMIUM TAPE MEASURE
DCF961H2T-QW	18V XR® BRUSHLESS 1/2" HOG RING PREMIUM HIGH TORQUE IMPACT WRENCH - 2 X POWERSTACK™ 5AH
DT7506-QZ	EXTREME® IMPACT SOCKET SET (17 PCS.)
DCH614X2-QW	54V XR FLEXVOLT® 45 MM SDS-max® HAMMER DRILL - 2 X 9 AH
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE

SELECTED BEST PRACTICE

CONCRETE SOLUTIONS FOR WOOD FORMING

E TOOLS FOR THE APPLICATION

FORM CONSTRUCTION	
DCS7485T2-QW	54V XR FLEXVOLT® 210 MM TABLE SAW - 2 X 6 AH
DT99565-QZ	EXTREME® RUNTIME™ 210 MM X 30 MM 24T CIRCULAR SAW BLADE
DCS579X2-QW	54V XR FLEXVOLT® 190 MM RAIL COMPATIBLE CIRCULAR SAW - 2 X 9 AH
DT10304-QZ	EXTREME® 190 MM X 30 MM 24 T CIRCULAR SAW BLADE
DWST1-75676	METAL FOLDING SAWHORSE (2 PCS.)
DWST50113-1	LEATHER TOOL RIG
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DCE590N-XJ	18V GRABO LIFTER - BARE TOOL ONLY
DCN930P2-QW	18V XR® 33° CORDLESS FRAMER - 2 X 5 AH
DWST50112-1	LEATHER TOOLS APRON
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE
DWHT36928-0	8M X 32MM PREMIUM TAPE MEASURE

CHAMFER INSTALLATION	
DCS579X2-QW	54V XR FLEXVOLT® 190 MM RAIL COMPATIBLE CIRCULAR SAW - 2 X 9 AH
DCV586MN-XJ	54V XR FLEXVOLT® M-CLASS WET/DRY DUST EXTRACTOR - BARE TOOL ONLY
DT10304-Qz	ELITE SERIES™ 190 MM X 30 MM 24T CIRCULAR SAW BLADE
DWST1-75676	METAL FOLDING SAWHORSE (2 PCS.)
DWST40603-1	TOOL RIG
DCN680N-XJ	18V XR® BRUSHLESS 18 GA SECOND FIX NAILER - BARE TOOL ONLY
DWST40201-1	NAIL POUCH WITH BELT
DWST83402-1	3-IN-1 TOUGHSYSTEM® 2.0 TOOL BOX SET (DS165, DS300 AND DS450)
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWHT36928-0	8 M X 32 MM PREMIUM TAPE MEASURE

FORM LAYOUT	
DCE079D1G-QW	18V XR® GREEN ROTARY LASER - 1 X 2 AH
DE0735-XJ	5/8" ELEVATED TRIPOD
DE0737-XJ	2.4 M ALUMINIUM GRADE ROD
DWHT36928-0	8 M X 32 MM PREMIUM TAPE MEASURE
DWHT0-43172	180 CM BOX BEAM LEVEL

SELECTED BEST PRACTICE

CONCRETE SOLUTIONS FOR INFRASTRUCTURE

E TOOLS FOR THE APPLICATION

CUT AND CORE	
DCBPS0554-XJ	POWERSHIFT™ 554 W BATTERY
DCBPSC0550-QW	POWERSHIFT™ 550 W CHARGER
DCPS151-XJ	POWERSHIFT™ DIAMOND DRILL STAND
DCD150X2-QW	54V XR FLEXVOLT® DIAMOND CORE DRILL
DCE6820N-XJ	18V XR® WATER TANK
DCS691X2-QW	54V XR FLEXVOLT® CUT OFF SAW
DT20462-QZ	ELITE SERIES™ 230 MM ALL PURPOSE SEGMENTED
DWST08510-1	TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS
DWST08520-1	TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS
DWST08530-1	TOUGHSYSTEM® 2.0 DXL DOLLY
DWST08550-1	TOUGHSYSTEM® 2.0 DXL WORK TOP
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE

INSTALLATION	
DCN890P2-QW	18V XR® BRUSHLESS CONCRETE NAILER - 2 X 5 AH
DCF891H2T-QW	18V XR® BRUSHLESS 1/2" HOG RING MID TORQUE IMPACT WRENCH - 2 X POWERSTACK™ 5 AH
DT7506-QZ	EXTREME® IMPACT SOCKET SET (17 PCS.)
DCF860E2T-QW	18V XR® BRUSHLESS PREMIUM IMPACT DRIVER - 2 X POWERSTACK™ 1.7 AH
DT70732T-QZ	FLEXTORQ® SCREWDRIVING SET IN SMALL TOUGHCASE®+ (37 PCS.)
DCLE34035D1-QW	18V XR® 3 X 360 REMOTE CONTROL LASER
DWST08510-1	TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS
DWST08520-1	TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS
DWST08530-1	TOUGHSYSTEM® 2.0 DXL DOLLY
DWST08550-1	TOUGHSYSTEM® 2.0 DXL WORK TOP
DWST83471-QW	TOUGHSYSTEM® 2.0 CHARGER BOX
DWST08061-1	TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE

DEWALT

END TO END SOLUTIONS

THE GRABO LIFTING TOOL

CONCRETE TOTAL SOLUTIONS™

DEWALT

POWER SHIFT

NO PETROL.
NO CORDS.
NO JOB TOO BIG.

GUARANTEED TOUGH.®

THE SHIFT IS HERE

BREAK BOUNDARIES. CHARGE FORWARD.

Discover the new DEWALT® POWERSHIFT™ Cordless Equipment System for epic performance and runtime. Don't wait to start, stop to refuel, or be limited by gas a second longer. Put the power in your hands and TAKE CONTROL™ with DEWALT® POWERSHIFT™.

554WH BATTERY

The 554Wh DEWALT® POWERSHIFT™ battery is the key to enabling the system. Delivering the power required to complete applications traditionally undertaken by petrol powered tools with no loss in performance and productivity and none of the hassles of petrol.

THE POWERSHIFT™ SYSTEM

POWERSHIFT™ CORDLESS POWER DELIVERY

554WH BATTERY

550W CHARGER

XR FLEXVOLT® ADAPTOR

POWERSHIFT™ TOOLS FOR EVERY STAGE

FOR PREPARATION

FOR PLACEMENT

FOR CORE & CUT

89% OF END USERS
CONFIDENT SITES
TO GO FULLY ELEC

S ARE
ARE READY
TRIC

READY FOR THE SHIFT

In accordance with the launch of DEWALT® POWERSHIFT™, DEWALT® surveyed* 2000+ national construction industry decision-makers and skilled workers to understand the opportunities and challenges of electrifying jobsites.

PROS ARE READY FOR ELECTRIFICATION

ELECTRIC OUTPERFORMS GAS

68%

of construction employees who switched to electric-powered tools say they've allowed them to compete products up to 2-3 times faster than gas-powered tools.

TRIED-AND-TRUE PERFORMANCE

72% of electric-powered tool users say they are either satisfied or very satisfied with their construction site's transition to electric-powered tools.

SUPERIOR RELIABILITY

59% of construction employees experienced more issues or breakdowns with gas-powered tools, compared to 45% for electric-powered tools.



DEMOGRAPHICS: 2,002 survey respondents, 50% skilled workers, 50% employees in management who have roles in purchase decision-making.

DEWALT® partnered with strategic market research agency Atomik Research to conduct a survey of 2,002 full-time construction industry employees, including skilled workers and management. "Full-time construction employees" are defined as those who work in construction for 40 or more hours per week. The study was conducted between December 20, 2023 – January 4, 2024.

INCREASED EFFICIENCY

Construction employees and managers most frequently indicate they would like to see workflow improved on the construction site through:

- **49%** of managers
- **43%** of skilled workers

→ improved channels of communication between management and workers.

- **46%** of managers → minimise time spent on tool/equipment maintenance.
- **42%** of skilled workers → more inter-compatibility between tools.

AVAILABILITY AND EDUCATION GAPS

38% — 38% of construction workers cite a lack of availability of electric-powered tools for their work.

36% — 36% cite insufficient knowledge of the capabilities of electric tools as their primary reason for not using them.

SUSTAINABILITY'S IMPACT ON BIDDING

72% — 72% of employees say they have worked on a proposal for a bid that required consideration of sustainability regulations.

53% — 53% of employees have passed on a bid due to the inability to commit to sustainability regulations or lost a bid due to challenges with sustainability regulations.

WHY DEWALT® POWERSHIFT™?

One of the most striking trends emerging in the industry is the adoption of cordless technology on construction sites. Cordless solutions are more than just a technological upgrade; they represent a fundamental shift in how construction operations are conducted. The global power tools market was valued at USD 31.08 billion in 2022 and is projected to grow at a CAGR of 7.2% from 2023 to 2030. Cordless tools, in particular, are increasingly recognised for their role in enhancing safety, efficiency, and sustainability on job sites, thanks to their ease of use and elimination of external power sources.

While cordless tools are more environmentally friendly over their lifecycle, the upfront costs are higher. However, long-term cost analysis, such as the Total Cost of Ownership (TCO), suggests that while the initial investment is higher, cordless tools can result in up to 25% savings over five years due to lower maintenance and energy costs. Procurement Managers must carefully consider these long-term benefits against the short-term financial impact.

For Project Managers and Procurement Managers, the shift towards cordless tools promises enhanced operational efficiency. Cordless tools are not just mobile; they offer increased flexibility and productivity by allowing workers to operate in areas without immediate access to traditional power sources. This flexibility is crucial in large-scale projects where quick adaptation to site conditions is necessary. Moreover, the reduction in setup and teardown times associated with cordless tools translates to faster project timelines and reduced labor costs.

Niclas Andersen, Senior Trade Marketing Manager DEWALT® Nordic.
Highlighted the progress in battery technology, stating, “We’ve observed substantial adoption of battery technology in our more established markets across Europe and North America, with over 90% of our sales to large contractors being cordless. As battery technology continues to advance annually, we are leading the way in electrifying the jobsite.” This transition towards cordless solutions underscores the industry’s dedication to enhancing technological capabilities, promoting both sustainability and operational efficiency in construction.

For Safety Managers, cordless technology addresses one of the most pervasive safety issues on construction sites—tripping hazards caused by cords and cables. According to the International Labour Organization (ILO), falls are among the leading causes of construction site injuries, and eliminating cords can significantly reduce these incidents.

Sustainability is no longer a peripheral concern; construction companies are committed to reducing carbon footprints and promoting green construction practices as part of their broader environmental goals. Cordless tools contribute to this by reducing energy consumption and emissions associated with construction activities. A study by the IVL Swedish Environmental Research Institute indicates that lithium-ion battery production, while having its own environmental footprint, results in significantly lower greenhouse gas emissions during the use phase compared to tools powered by fossil fuels or continuous grid electricity, as seen with corded tools.

NO PETROL. NO CORDS. NO JOB TOO BIG.

Don’t wait to start, stop to refuel, or be limited by petrol a second longer. TAKE CONTROL with DEWALT® POWERSHIFT™.

SHIFT TO ELECTRIFIED

As experts in battery and motor technology DEWALT® POWERSHIFT™ offers an alternative to traditional petrol-powered solutions with no loss in performance or productivity.

SHIFT TO ZERO

DEWALT® POWERSHIFT™ deliver zero emissions with no fumes and less noise offering you and your teams a more sustainable solution on the construction site.

SHIFT TO PRODUCTIVITY

No waiting for petrol, no stopping to refuel. DEWALT® POWERSHIFT™ battery powered tools start at the push of a button which means no second guessing and require minimal servicing.

SHIFT TO A SYSTEM

The high-performance DEWALT® POWERSHIFT™ battery enables a system of 6 tools from preparation to placement with more to come in the future.


"IT EXCEEDED MY EXPECTATIONS"
FRED, GENERAL SUPERINTENDENT, BAKER CONCRETE
"WE DON'T HAVE TO WORRY ABOUT PETROL. WE DON'T HAVE TO WORRY ABOUT FUMES"
FRED, GENERAL SUPERINTENDENT, BAKER CONCRETE
"CONCRETE DON'T WAIT FOR NO ONE"
ROBERT, SUPERVISOR, NA MILLWRITE

"WHAT SUPRISED ME THE MOST WAS THE POWER THAT IT HAD"
NICHOLAS, FORMAN, RUBY COLLINS
"SAME AS A GAS-POWERED RAMMER- THE WAY IT RAN, HOW HARD IT WAS HITTING"
MIKE, WAREHOUSE MANAGER, ACTION ELECTRIC COMPANY
DEWALT

DEWALT® POWERSHIFT™ 554 W BATTERY

DCBPS0554-XJ

ERGONOMIC DESIGN
Large overmold handle with high capacity to weight ratio (554 W @ 5.3 kg)

GLASS-FILLED NYLON HOUSING
Durable and resistant to chemicals and corrosion. Water and dust resistant

4 LED STATE OF CHARGE INDICATOR
Accuracy for user experience

HIGH VISIBILITY REFLECTIVE ZONES
For increased jobsite awareness

Don't wait to start, stop to refuel, or be limited by petrol a second longer. The high efficiency cells deliver higher power, cooler operating temperatures and longer runtime. A Glass Filled Nylon housing, water and dust resistance and 2 Year Guarantee deliver the durability you need.

SPECIFICATIONS

WATT HOURS	554 W
TOOL WEIGHT (BARE)	5.3 kg

DEWALT® POWERSHIFT™ XR FLEXVOLT® ADAPTOR DCAFVPS

ADAPTER TO BE LAUNCHED AUG 2025

The XR FLEXVOLT® Adaptor allows you to use your existing XR FLEXVOLT® batteries to power POWERSHIFT™ tools when required. Compatible with all XR FLEXVOLT® batteries, although we recommend a 15Ah DCB549 to deliver the most power and runtime to your POWERSHIFT™ tools.



See video for the DEWALT® POWERSHIFT™ 554 wh Battery here!

DEWALT® POWERSHIFT™ 550 W CHARGER

DCBPSC0550

HIGH VISIBILITY REFLECTIVE ZONES
For increased jobsite awareness

ERGONOMIC DESIGN
Large overmold handle with high capacity to weight ratio (554 Wh @ 5.3 kg)

2-STAGE CHARGING

ENHANCED PORTABILITY
Multiple gripping positions, cord wrapper, TOUGHSYSTEM® 2.0 Compatible

TOUGHSYSTEM® MOUNTABLE

The high performance dedicated POWERSHIFT™ charger will charge a POWERSHIFT™ 554WH Battery in 52 minutes. The LED indicators show 80% & 100% charge status. A built in roll cage with carry handles add durability and it can be used and mounted horizontally and vertically as well as mounted to TOUGHSYSTEM® 2.0 for portability on the jobsite.

SPECIFICATIONS

INPUT	7.5 A
TOOL WEIGHT (BARE)	4.1 kg
TOUGHSYSTEM® 2.0 COMPATIBILITY	Yes
TIME FOR FULLY CHARGED	Under 60 min*
TIME FOR 80% CHARGED	43 min*

*Based on charging the DCBPS0554 battery with DCBPSC0550 charger.

DEWALT
DEWALT POWER SHIFT 554 WH
DEWALT
DEWALT POWERSHIFT
TOUGHSYSTEM® 2.0

DEWALT® POWERSHIFT™ RAMMER

DCPS660



POWERED BY DEWALT® POWERSHIFT™ BATTERY

SPEED SELECTOR
Quickly change speeds without stopping tool

DUAL ACTION ON SWITCH & LARGE SHUT OFF ACTUATOR
Prevent accidental activation & provide easy shut down

HANDLE MOUNTED CONTROLS
Allows user to activate & deactivate the tool without releasing the handle

DEDICATED LIFT POINT
Integrated handle for lifting and transporting rammer with machinery

TRANSPORTATION ROLLER
Easy transport & loading

ANTI-VIBRATION INSULATORS
Reduce hand and arm vibration

INSPECTION WINDOW
Allows user to visually check oil level

MAINTENANCE-FREE BRUSHLESS MOTOR
Sealed to prevent debris from entering

INTEGRATED TRANSPORT HANDLE
Allows for easy loading/unloading

JOBSITE PROVEN BELLOWS
Durable bellows protects mechanism and lubrication

REPLACEABLE FOOT

The IP56 sealed brushless motor of this battery powered rammer delivers a class leading 15 m/min forward travel speed while the easy to reach IP67 controls and dual speed selector offer enhanced control. The direct drive system and easy to use oil fill location and inspection point offer minimal servicing requirements. A built-in hook for lifting and craning and the optional wheel kit deliver enhanced portability on the toughest jobsites.

SPECIFICATIONS

TOOL CLASS	60 Kg
CENTRIFUGAL FORCE	Low - 9.5 kN High - 11.5 kN
MAX FORWARD TRAVEL SPEED	15 m/min
MAX COVERAGE AREA	228 m per charge*
SPEED SETTINGS	2 Speeds
WEIGHT (TOOL ONLY)	65 kg

*With DCBPS0554

RELATED PRODUCTS

DCH966
54V XR FLEXVOLT® 28mm Hex Demolition Hammer

POWERSHIFT™ RAMMER WHEEL KIT
AF-O-VRT-0042D-004



DCE079
18V XR® Rotary Laser

See video for the DEWALT® POWERSHIFT™ Rammer here!

DEWALT® POWERSHIFT™ PLATE COMPACTOR

DCPS7154

POWERED BY DEWALT® POWERSHIFT™ BATTERY

11 LITRE WATER TANK
Removable water tank and gravity feed sprinkler included

MAINTENANCE-FREE BRUSHLESS MOTOR

MAINTENANCE-FREE ECCENTRIC
Provides up to 15kN of compaction force

DEDICATED LIFT POINT
Integrated into roll cage for lifting & transporting plate with machinery

ERGONOMICALLY DESIGNED FOLDING HANDLE
Ergonomically designed handle shape for user comfort. Folds for transport & can be used in locked or unlocked position

INTEGRATED WHEEL KIT
Wheel kit comes as standard feature

DURABLE 400 MM STEEL PLATE

The POWERSHIFT™ Plate Compactor delivers a class leading 28m/min forward travel speed while the easy to reach IP67 controls and dual speed selector offer enhanced control. The vibration resistant belt drive system offers increased durability and minimal servicing requirements. The built in water tank with sprinkler system helps to prevent dust and reduces stick on asphalt. A built in hook for lifting and craning and the retractable wheels deliver enhanced portability on the toughest jobsites.

SPECIFICATIONS

MAX CENTRIFUGAL FORCE	15 kN
MAX VIBRATION FREQUENCY	6,000 VPM
MAX FORWARD TRAVEL SPEED	28 m/min
HAND ARM VIBRATION	1.5 m/s^2
WORKING SURFACE	Up to 528 sqm/h - Low speed
SURFACE PRESSURE	High: 10,7 N/cm^2
	Low: 9,1 N/cm^2
WEIGHT (BARE)	100 kg
PLATE LENGTH X WIDTH	56 x 38 cm
GRADEABILITY	30%
MAX INCLINE	20º
VARIABLE OR MULTIPLE SPEEDS	2 Speeds

RELATED PRODUCTS

POWERSHIFT™ RUBBER MAT
AF-O-VPF-0022D-012

DCS691
54V XR FLEXVOLT® 230mm Cut Off Saw

DT20462
ELITE SERIES™ 230mm All Purpose Segmented

See video for the DEWALT® POWERSHIFT™ Plate Compactor here!

DEWALT® POWERSHIFT™ BACKPACK VIBRATOR

DCPS310

LOW CHARGE INDICATOR LIGHT
Notifies user of low charge, located on controls

AMBIDEXTROUS CONTROLS
Controls can be mounted on either side of the harness at various heights

PADDED HI-VIS HARNESS
Designed for user comfort throughout the entire workday

POWERED BY DEWALT® POWERSHIFT™ BATTERY

ADJUSTABLE HARNESS
User can adjust the shoulder straps as well as raise or lower the back pad quickly to fit XS - XXXL

QUICK-CHANGE CONNECTION
Allows users to simply push in the desired hose & twist the collar to remove

This battery powered backpack vibrator delivers petrol equivalent performance with zero emissions. The one-handed, self ejecting hose fitment is tool free to make use with gloves easy and delivers protection against dirt ingress. The high frequency hoses (sold separately) are engineered with the motor in the head to reduce the diameter which also helps to deliver increased runtime, less vibration, enhanced durability and no maintenance. The fully adjustable harness offers enhanced ergonomics and has shoulder strap mounted controls with low battery indicator. The built in roll cage offers various grab positions and helps to protect the battery for enhanced durability on the toughest jobsites.

SPECIFICATIONS

WEIGHT (TOOL ONLY)	6.5 kg
MAX VPM	12,000 (no load)
MAX HEAD SIZE	59 mm
MAX HOSE LENGTH	5 m

See video for the DEWALT® POWERSHIFT™ Powerpack vibrator here!

DEWALT® POWERSHIFT™ POWERPACK VIBRATOR

DCPS320

WIRELESS TOOL CONTROL REMOTE (INCLUDED)
Allows user to activate the tool remotely, up to 30 ft

QUICK-CHANGE CONNECTION
Allows users to simply push in the desired hose & twist the collar to remove

POWERED BY DEWALT® POWERSHIFT™ BATTERY

DURABLE ROLL CAGE
Designed to withstand jobsite conditions

POWER SWITCH
Select between on/off or wireless tool control

LOW CHARGE INDICATOR LIGHT

CARRY HARNESS CONNECTIONS
Allows user to connect provided strap for easy transport

SPECIFICATIONS

WEIGHT (TOOL ONLY)	5.5 kg
MAX VPM	12,000 VPM
MAX HEAD SIZE	59 mm
MAX HOSE LENGTH	5 m

This battery powered vibrator delivers petrol equivalent performance with zero emissions. The one-handed, self ejecting hose fitment is tool free to make use with gloves easy

and delivers protection against dirt ingress. The high frequency hoses (sold separately) are

engineered with the motor in the head to reduce the diameter which also helps to deliver increased runtime, less vibration, enhanced durability and no maintenance.

Wireless Tool Control means the vibrator can be paired to a remote for ease of use with longer hoses. The built in roll cage offers various grab positions and helps to protect the battery for enhanced durability on the toughest jobsites.

See video for the DEWALT® POWERSHIFT™ Powerpack vibrator here!

VIBRATOR SELECTION GUIDE

Flatwork

DCPS310
DEWALT® POWERSHIFT™
Backpack Vibrator

Structural/Vertical

DCPS320
DEWALT® POWERSHIFT™
Powerpack Vibrator

No Head Size Limitations.
Full Range Of Heads And Hoses Can Be Used On Either Vibrator.

Model Number	Hose length [m]	Head Diameter [mm]	Radius of Action [mm]	1.5x Radius of Action [mm]	Amplitude (Centerline to Side) [mm]	Centrifugal Force [kN]	Compaction rate [m2/hr.]
DCPS3382 DCPS3385	2 5	38	150	225	47,5	1,7	23
DCPS3502 DCPS3505	2 5	50	280	420	46	3,1	30
DCPS3592 DCPS3595	2 5	59	330	495	44	4,6	32



R: Radius of Action
X: Insertion Spacing = 1.5x Radius of Action

Head Diameter [mm]	Radius of Action [mm]	1.5x Radius of Action [mm]
38	150	225
50	280	420
59	330	495

1.5x Radius Of Action And Proper Insertion



CORRECT

INCORRECT

DEWALT® POWERSHIFT™ VIBRATING SCREED

DCPS330



VARIABLE SPEED TRIGGER W/LOCK-ON
Allows user to control vibration based on slump from 0 – 7,800 vpm & lock-on at full speed

POWERED BY DEWALT® POWERSHIFT™ BATTERY

AMBIDEXTROUS CONTROLS W/ ALIGNMENT MARKS
Controls can be mounted on either handle. Angle marks indicate both sides are set the same

ADJUSTABLE HANDLES
Users can quickly adjust the height and desired width of the handlebars and angle of handles

THROTTLE CABLE CLAMPS
Allows user to best rout the cable depending on throttle side

TOOL-FREE HEIGHT ADJUSTMENT WITH INDICATORS
Visual indicator of height setting designed so that both handles can be set at the same height

This battery powered screed delivers petrol equivalent performance with the power to break a fresh cold joint and zero emissions. The one handed, one wrench beam attachment is compatible with all common L-Shape and Box Beams (Sold separately). The tool free height adjustment and fully adjustable handles offer enhanced ergonomics and the variable speed trigger with lock on allows the user to adapt to the concrete condition. The built in kickstand means the screed can be stored on the jobsite without exposing the controls to wet concrete.

SPECIFICATIONS

VPM	0 - 7,800
WEIGHT (TOOL ONLY)	12.7 kg

RELATED PRODUCTS

ADAPTER TO BE LAUNCHED AUG 2025

DCAFVPS
POWERSHIFT™ XR FLEXVOLT® Adaptor

DCB549
54V XR FLEXVOLT® 15Ah Battery

DWST83402-1
3-in-1 TOUGHSYSTEM® 2.0 Tool Box Set

See video for
the DEWALT®
POWERSHIFT™
Screed here!

DEWALT® POWERSHIFT™ CORE DRILL STAND

DCPS151

POWERED BY DEWALT® POWERSHIFT™

VACUUM PUMP HOSE CONNECTION
To connect a core drill vacuum pump in vacuum-mounted core drilling applications

BUBBLE LEVEL
For accuracy of the holes being cored

ADJUSTABLE ANGLE RATCHET
For angular coring up to 45-degrees

REMOVABLE WHEELS
Simplifies stand transportation and can be removed to reduce base length

STABILISER BOLTS
Allows the operator to level the base of the stand

SLIM BASE
Allows the stand to be used in tight spaces

CORE BIT CENTRING INDICATOR
Flips out for the operator to centre the bit before core drilling

ANCHOR AND VACUUM MOUNT BASE
Anchor slot in the middle of the base and gasket located underneath for users preferred stand mounting method

SPECIFICATIONS

BATTERY SYSTEM	DEWALT® POWERSHIFT™
MAX CAPACITY - STAND	162 mm
ANGLUAR CORING	-15º up to +45º
FIXATION METHOD	Anchor, Vacuum
WATER FLOW CONTROL VALVE	Integrated
WEIGHT	20.3 kg
BASE PLATE DIMENSION	508 x 255 mm

RELATED PRODUCTS

DCD150
54V XR FLEXVOLT® Diamond Core Drill

DCE6820N
18V XR® Water Tank

DCH273H2T
18V XR® Brushless 24mm SDS-plus® Hammer Drill

SKU CODE	SKU DESCRIPTIONS	WORKING LENGTH MM)	LENGTH 450 MM	FITMENT THREAD
DCDW101-XJ	52 MM DIAMOND CORE	400	450	1-1/4”
DCDW102-XJ	61 MM DIAMOND CORE	400	450	1-1/4”
DCDW103-XJ	82 MM DIAMOND CORE	400	450	1-1/4”
DCDW104-XJ	102 MM DIAMOND CORE	400	450	1-1/4”
DCDW105-XJ	117 MM DIAMOND CORE	400	450	1-1/4”
DCDW106-XJ	122 MM DIAMOND CORE	400	450	1-1/4”
DCDW107-XJ	127 MM DIAMOND CORE	400	450	1-1/4”
DCDW108-XJ	152 MM DIAMOND CORE	400	450	1-1/4”

WARRANTY AND SERVICING

DEWALT® is confident of the quality of its products and offers an outstanding guarantee for professional users of the product.

3 YEAR WARRANTY ON POWERSHIFT™ TOOLS*

1 Year Standard Warranty with an additional 2 years when registered within 28 days of purchase.

2 YEAR WARRANTY ON POWERSHIFT™ BATTERIES & CHARGERS*

1 Year Standard Warranty with an additional 1 year when registered within 28 days of purchase.

*REQUIRES REGISTRATION WITHIN 28 DAYS OF PURCHASE. T&C'S APPLY.

DEWALT® SERVICE

DEWALT® POWERSHIFT™ tools require minimal servicing versus petrol powered tools but should you require support our dedicated service network is here to help and keep you and your team working.

CONVENIENCE

At the heart of the DEWALT® 5 Star Service are the 5 Star Service Agents, which are conveniently located throughout the country, with specialists available to answer any questions whether you are on or off the job site.

SPEED

Having your tools back in action in the fastest time possible is our prime objective. Subject to Parts availability, repairs should take no more than 48 hours, and for those smaller urgent repairs many will provide a "while-u-wait" service.

QUALITY

The technicians that carry out the repairs are trained by the DEWALT® service training team, and all work is backed by a 90 day warranty. Each DEWALT® repair comes with our personal "satisfaction tag" listing all the work done, and a DEWALT® contact number should you be less than 100% happy with the repair.

GENUINE PARTS

All parts used in repairs are genuine DEWALT® parts, ensuring the highest quality.

DEWALT POWER SHIFT

JOIN THE SHIFT

SEEING IS BELIEVING

Get in touch with a local DEWALT® enduser specialist for more information on the DEWALT® POWERSHIFT™ system and to inquire about experiencing the epic performance for yourself.

DCPS660N-XJ
RAMMER

DCPS330N-XJ
VIBRATING SCREED

DCBPS0554-XJ
554 W BATTERY

DCBPSC0550-QW
CHARGER 12A

POW

SKU CODE	SKU DESCRIPTIONS
DCPS3382-XJ	38 MM/2 MT HEAD/HOSE TO VIBRATOR
DCPS3385-XJ	38 MM/5 MT HEAD/HOSE TO VIBRATOR
DCPS3502-XJ	50 MM/2 MT HEAD/HOSE TO VIBRATOR
DCPS3505-XJ	50 MM/5 MT HEAD/HOSE TO VIBRATOR
DCPS3592-XJ	59 MM/2 MT HEAD/HOSE TO VIBRATOR
DCPS3595-XJ	59 MM/5 MT HEAD/HOSE TO VIBRATOR

NO PETROL.
NO CORDS.
NO JOB TOO BIG.

DEWALT ULTIMATE MODULAR

T STAK™

DWST83344-1

DWST83345-1

DWST1-70705

T STAK™ accessory set caddy

DT70716-QZ

DWST83541-1

DWST83343-1

DWST83346-1

DWST1-70706

DWST83517-1

DWST1-71229

DWST1-71228

DWST17871-1

DWST83347-1

DWST83411-1

DWST1-71196

DWST82990-1

DWST82968-1

DWST83495-1

DWST1-81078-QW

DWST82991-1

DWST1-72364

DWST82732-1

DWST83520-1

DWST08510-1



DWST08520-1

DWST08530-1

DWST08550-1

T ST

TOUGH

ADAPTER PLA
TOUGHCASE®+
MODULES TO TOU

ACCESSORY BOXES

TSTAK BOXES

TOUGH-SYSTEM BOXES

MORE OPTIONS TH
EXTENDED TOUGHS

DXL BOXES

R STORAGE SYSTEM

TOUGHSYSTEM®

See video for the T STAK™ and TOUGHSYSTEM® here!

TAK™

WALT

SYSTEM®

TE CONNECTS
AND T STAK™
UGHSYST EM® 2.0

HAN EVER BEFORE
YSTEM® 2.0 RANGE

DWST83293-1

DWST83294-1

DWST83342-1

DWST83471-QW

DCBPSC0550-QW

DWST83394-1

Workshop racking DWST1-75694
Carrier brackets 1-70-362

DWST83295-1

DWST83407-1
DWST83408-1

DWST1-75654

DWST08061-1

DWST83529-1

DWST08330-1

DWST08017-1

DWST08035-1

DWST83392-1

DWST08017-9

DWST83524-1
DWST83522-1

DWST83459-1

DCB104-QW

DWST60510-1

DWST60520-1

DWST83401-1

DWST83402-1

1-70-324

GHSYSTEM 2.0 DXL

DEWALT TOUGHSYSTEM 2.0 DXL

NEW ACCESSORIES TO SUPPORT THE DXL STORAGE SYSTEM AND FOR INDEPENDENT STORAGE SOLUTIONS



ACCESSORIES FOR USE IN THE CRAFTMAN VANS

UTILISE THE METAL RAILS SYSTEM FOR THE MOST VERSATILE AND INNOVATIVE SOLUTIONS FOR THE END-USER

DWST82800-1

DXL ACC_VAN / WALL RAIL MOUNTING

100
MAX LOAD CAPACITY PER LINEAR FOOT
FINISHED LOOK
2 ENDCAP JOINERS OFFER SEAMLESS RAIL CONNECTION
DURABLE STEEL CONSTRUCTION
SUPPORTS UP TO 100 LBS. PER LINEAR FOOT
INTEGRATED STORAGE SYSTEM
CUSTOMIZABLE ACCESSORIES PROVIDE OPTIMAL ORGANIZATION

DWST82813-1

DXL PLASTIC BIN 2-PACK



DWST82805-1

DXL SHORT HOOK

SKU CODE
DWST82800-1
DWST82805-1
DWST82813-1

A MUST HAVE FOR DEWALT FANS

DWST82816-0

8-PIECE HAND TOOL HOOK SET (DXL)


QUICK INSTALLATION
MAGNETIC BASE ATTACHES TO STEEL CABINETS
OPTIMIZE ORGANIZATION
STORE A VARIETY OF HAND TOOLS AND SMALL ITEMS
VERSATILE CAPACITY
SUPPORTS UP TO 5 LBS. PER HOOK

DWST82820-0

BATTERY HOLDER 2-PACK (DXL)

QUICK ATTACHMENT
STORE A SINGLE DEWALT® 12V MAX*, 20V MAX*., OR FLEXVOLT® BATTERY
5 LBS
MAX LOAD CAPACITY
QUICK ACCESSIBILITY
MOUNT CLEAT DIRECTLY TO THE WALL
HEAVY-DUTY CAPACITY
SUPPORTS UP TO 5 LBS. FOR STORING A WIDE RANGE OF DEWALT® BATTERIES

*Maximum initial battery voltage (meassured without a workload) is 12 and 20. Nominal voltage is 10.8 and 18.

DWST82823-1

POWER TOOL HOLSTER (DXL)

CONVENIENT STORAGE
DESIGNED FOR DEWALT® 20V MAX*
AND 12V MAX* POWER TOLLS
10 LBS
MAX LOAD CAPACITY
PATENTED LATCHING SYSTEM
DEWALT
HEAVY-DUTY CAPACITY
SUPPORTS UP TO 10 LBS. FOR STORING A WIDE VARIETY OF CORDLESS POWER TOOLS
PATENTED LATCHING SYSTEM
SECURES THE HOOK TO THE RAIL

*Maximum initial battery voltage (meassured without a workload) is 12 and 20. Nominal voltage is 10.8 and 18.

SKU CODE
DWST82816-0
DWST82820-0
DWST82823-1

A MUST HAVE FOR DEWALT FANS

*Available in modern channel.

NEW – DCD794* IS OUR MOST BRUSHLESS COMPACT DRILL DRIVER IN OUR RANGE, ONLY 150 MM

NEW

18V XR® BRUSHLESS COMPACT DRILL DRIVER, DCD794*

The brushless motor and metal gears are innovatively designed with brushless motor and metal transmisison helps to deliver 552UWO or 74Nm from an extremely compact package. The heavy duty metal chuck for improved durability when using various accessories. Drill comes standard with both belt hook and magnet for user convenience and a LED work light

SPECIFICATIONS		
Power		18V
No-Load Speed (1,2 gear)		0-450 min^{-1} / 0-1650 min^{-1}
Max Torque (hard/soft)		74 / 26 Nm
Chuck Capacity		1,5 – 13 mm
Maximum Drilling Capacity	Wood	30 mm
	Metal	13 mm
Weight without akku		1,09 kg

ART.NR.	PRODUCT DESCRIPTION
DCD794NT-XJ	18V XR® Brushless Compact Drill Driver - Bare Tool Only
DCD794D2T-QW	18V XR® Brushless Compact Drill Driver - 2 x 2.0 Ah
DCD794P2T-QW	18V XR® Brushless Compact Drill Driver - 2 x 5.0 Ah

*Available in modern channel.

NEW

18V XR® BRUSHLESS COMPACT HAMMER DRILL DRIVER, DCD799*

Most Compact hammer drill driver in our range, only 164 mm! Powerful compact drill performing 74 Nm. Reduced length for improved access to confined spaces the hammer drill has a metal chuck and other smart features like belt hook, magnetic bit holder and a LED work light.

SPECIFICATIONS		
Power		18V
No-Load Speed (1,2 gear)		0-450 min^{-1} / 0-1650 min^{-1}
Max Torque (hard/soft)		74 / 26 Nm
Chuck Capacity		1,5 – 13 mm
Maximum Drilling Capacity	Wood	30 mm
	Metal	13 mm
	Masonry	13 mm
Weight without akku		1,15 kg

ART.NR.	PRODUCT DESCRIPTION
DCD799N-XJ	18V XR® Brushless Compact Hammer Drill Driver - Bare Tool Only
DCD799NT-XJ	18V XR® Brushless Compact Hammer Drill Driver - Bare Tool Only
DCD799D2T-QW	18V XR® Brushless Compact Hammer Drill Driver - 2 x 2.0 Ah
DCD799P2T-QW	18V XR® Brushless Compact Hammer Drill Driver - 2 x 5.0 Ah

*Available in modern channel.

DCD1007 PROBABLY THE STRONGESTE 3 GEAR PREMIUM BRUSHLESS HAMMER DRILL DRIVER IN THE MARKET – 169 NM
DEWALT
XR
BRUSHLESS
18V XR BRUSHLESS
PERFORM PROTECT
ANTI-ROTATION
ANTI-ROTATION SYSTEM
SHUTS THE TOOL DOWN IF THE ROTATIONAL MOTION IS EXCESSIVE

DEWALT® 18V HAMMER

NEW

DCD778
MAX TORQUE
55 NM

DCD709
MAX TORQUE
65 NM

DCD799
MAX TORQUE
74 NM

DCD796
MAX TORQUE
70 NM

DEWALT® 18V DRIL

NEW

DCD777
MAX TORQU
55 NM

DCD708
MAX TORQUE
65 NM

DCD794
MAX TORQUE
74 NM

DCD7
MAX TO
70 N

18V BRUSHLESS XR

DRILL DRIVERS 2025

DCD805
MAX TORQUE
90 NM

DCD805P2LRT
MAX TORQUE
90 NM

DCD996
MAX TORQUE
95 NM

DCD1007
MAX TORQUE
169 NM

L DRIVERS 2025

91
RQUE
M

DCD800
MAX TORQUE
90 NM

DCD800P2LRT
MAX TORQUE
90 NM

DCD991
MAX TORQUE
95 NM

The above 18V XR® products are available in various versions with or without batteries/charger/storage – contact the nearest dealer to find out more!

DEWALT® BRINGS NEW OUTDOOR PRODUCTS TO THE MARKET IN 2025

LANDSCAPING SOLUTIONS™

NEW

18V XR® 55 CM HEDGE TRIMMER (19 MM BLADE GAP), DCMHT562

Introducing the ultimate hedge trimmer for your gardening needs! Our hedge trimmer features an ergonomic grip, ensuring comfort during extended use. Weighing in at a lightweight design, it allows for easy maneuverability, making it simple to reach those tricky spots in your garden. With a powerful 55 cm blade and a 19 mm gap, you can achieve precise and efficient trimming every time. Enjoy an impressive runtime of 78 minutes, giving you plenty of time to tackle your hedges without interruptions. Plus, when you're done, the included wall mount for storage is compatible with our hedge sweep, keeping your tools organized and ready for the next use. Transform your gardening experience with our reliable hedge trimmer!

SPECIFICATIONS	
Blade lenght	55 cm
Blade gab	19 mm
Blade stroke	1.400 min
Runtime (FV DCB 546 battery)	Up to 78 min
Weight without akku	3.2
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Oil
DZ08555-QZ	Hedge Trimmer Sweep Attachtment

ART.NR.	PRODUCT DESCRIPTION
DCMHT562N-XJ	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - Bare Tool Only
DCMHT562P1-QW	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - 1 x 5.0 Ah

NEW

18V XR® 55 CM HEDGE TRIMMER (25 MM BLADE GAP), DCMHT564

Discover the perfect solution for maintaining your garden with our advanced hedge trimmer! Designed with an ergonomic grip, this trimmer ensures maximum comfort, reducing fatigue during prolonged use. Its lightweight build makes it incredibly easy to handle, allowing you to trim with precision and ease. Featuring a robust 55 cm blade and a 25 mm cutting gap, which is compatible with our hedge sweep it delivers clean and efficient cuts every time. With an impressive runtime of 78 minutes, you can complete your trimming tasks without any interruptions. Once the job is done, the convenient wall mount for storage, keeps your tool neatly organized and ready for the next use.

SPECIFICATIONS	
Blade lenght	55 cm
Blade gab	25 mm
Blade stroke	1.400 min
Runtime (With 5.0 Ah battery)	Up to 78 min
Weight without akku	3.2 kg
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Oil
DZ08555-QZ	Hedge Trimmer Sweep Attachtment

ART.NR.	PRODUCT DESCRIPTION
DCMHT564N-XJ	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only
DCMHT564P1-QW	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - 1 x 5.0 Ah

NEW

18V XR® BRUSHLESS 30 CM CHAINSAW, DCMCS565

Introducing the ultimate chainsaw for all your cutting needs! Our chainsaw is engineered with an improved oil cap, ensuring hassle-free maintenance and optimal performance. The tooled tensioning system allows for precise adjustments, giving you complete control over your cutting tasks. Designed with an ergonomic grip, this chainsaw provides maximum comfort and reduces fatigue during extended use. The onboard tool storage ensures that you have all the necessary tools at your fingertips, making your work more efficient. Equipped with a robust 30 cm bar and chain, it delivers powerful and reliable cutting performance.

SPECIFICATIONS	
Bar length	30 cm
Chain speed	7,3 m/s
Chain Pitch	3/8”
Motor Type	Brushless
Oil tank capacity	215 ML
Cuts per charge (5.0 Ah)	Up to 100 cuts in 4”x4” timber
Weight	3,5 kg

ART.NR.	PRODUCT DESCRIPTION
DCMCS565N-XJ	18V XR® Brushless 30 cm Chainsaw - Bare Tool Only
DCMCS565P1-QW	18V XR® Brushless 30 cm Chainsaw - 1 x 5.0 Ah

NEW

18V XR® POLE PRUNER, DCMPP569

Elevate your pruning tasks with our top-of-the-line pole pruner! Featuring a 3.0-meter collapsible aluminum pole, this pruner allows you to reach high branches with ease while maintaining stability and control. The replaceable non-stick coated blade ensures smooth, clean cuts and long-lasting performance, making maintenance a breeze. With a 5-position articulating head, you can effortlessly adjust the angle for cutting in tight or awkward spaces, ensuring precision and versatility in every job. The metal branch hook adds an extra layer of convenience, helping you pull down trimmed branches safely and efficiently. Perfect for both professional landscapers and gardening enthusiasts, our pole pruner combines durability, functionality, and ease of use.

SPECIFICATIONS	
Battery Voltage	18V
Cut Capacity	38 mm
Blade Replacement	Tooled
Adjusted Blade Opening	No
Non Stick Coated Blades	Yes
Pole Length	Up to 3m
RECOMMENDED ACCESSORIES	
DCMPPRB1-QZ	Replacement knive for Pruner
DWS5025-XJ	Track Saw Bag

ART.NR.	PRODUCT DESCRIPTION
DCMPP569N-XJ	18V XR® Pole Pruner - Bare Tool Only

54V XR FLEXVOLT

DEWALT OUTDOOR POWER EQUIPMENT

NEW

54V XR FLEXVOLT® SELF-PROPELLED LAWN MOWER, DCMWSP660

Introducing the DCMWSP660, the ultimate solution for efficient lawn care. This cordless mower features dual 54V battery bays, providing extended power to cover large areas without interruption.
Its high-efficiency deck with dual blades ensures a precise, clean cut, enhancing your lawn's appearance. Equipped with LED lights, it offers excellent visibility in low-light conditions. The LED interface keeps you informed about battery status and performance.
With the one-touch storage system, folding and storing the mower is effortless. Upgrade to the DCMWSP660 for a superior mowing experience.

SPECIFICATIONS	
Power voltage	2x54V
Cutting width	53 cm
Cutting heights	1 = 25 mm / 2 = 41 mm 3 = 56 mm / 4 = 71 mm 5 = 86 mm / 6 = 102 mm
Bag Capacity	67 Ltr.
Weight (without akku)	36 kg
3 in 1 function	Mulch, Bag, Side discharge
RECOMMENDED ACCESSORIES	
DT20902-QZ	Twin cutting blade

ART.NR.	PRODUCT DESCRIPTION
DCMWSP660N-XJ	2 x 54V XR FLEXVOLT® Self-Propelled Lawn Mower - Bare Tool Only

NEW

54V XR FLEXVOLT® 25 CM POLE SAW, DCMPS635

Introducing the DCMPS635, your go-to tool for precision and power in tree maintenance. This cordless pole saw is designed to make trimming and pruning tasks effortless. With its 54V battery, it delivers consistent power, allowing you to tackle high branches with ease. The 25CM bar and chain provide a clean, efficient cut, while the extension pole offers up to 3,5 mtr. of reach, ensuring you can access hard-to-reach areas safely. Lightweight and well-balanced, the DCMPS635 reduces fatigue during extended use. Upgrade your yard care routine with the DCMPS635 and achieve professional results every time!

SPECIFICATIONS	
Power Voltage	54V
Bar Length	25 cm
Chain Speed	15,6 m/s
Chain Pitch	3,8" LP
Extended Lenght	3,56 m
Collapsed Length	2,38 m
Motor Type	Brushless
RECOMMENDED ACCESSORIES	
DZ06225-QZ	25 cm bar, pitch; 3/8" LP
DZ06325-QZ	25 cm chain, pitch; 3/8" LP

ART.NR.	PRODUCT DESCRIPTION
DCMPS635N-XJ	54V XR FLEXVOLT® 25 cm Pole Saw - Bare Tool Only

NEW

54V XR FLEXVOLT® 30 CM POLE SAW, DCMPS640*

Introducing the DCMPS640, the pinnacle of cordless pole saws, designed for superior tree maintenance. Equipped with a powerful 54V battery, it ensures consistent performance for tackling high branches effortlessly. The 30 cm bar and chain deliver precise, clean cuts, while the extendable pole offers up to 4 =mtr of reach for those hard-to-access areas. The LED user interface provides real-time feedback on battery status, enhancing your control. Built with a durable magnesium gearcase, the DCMPS640 is both lightweight and robust, reducing fatigue and ensuring longevity.

SPECIFICATIONS	
Power Voltage	54V
Bar Length	30 cm
Chain Speed	21,3 m/s
Chain Pitch	0,325" LP
Extended Lenght	4,06 m
Collapsed Length	2,94 m
Motor Type	Brushless
RECOMMENDED ACCESSORIES	
DZ06430-QZ	30 cm bar, pitch; 0,325" LP
DZ06530-QZ	30 cm chain, pitch; 0,325" LP

ART.NR.	PRODUCT DESCRIPTION
DCMPS640N-XJ	54V XR FLEXVOLT® 30 cm Pole Saw - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEXVOLT® STRING TRIMMER, DCMST911*

Introducing the DCMST911, a top-tier cordless string trimmer designed for precision and durability. Powered by a robust 54V battery, it offers reliable performance for all your trimming needs. The LED user interface provides instant feedback on battery life, keeping you informed and in control. Its magnesium gearcase ensures a lightweight yet durable build, reducing fatigue while enhancing longevity. With a high-efficiency motor, the DCMST911 delivers powerful cutting performance, making yard maintenance a breeze. Perfect for professional landscapers, the DCMST911 ensures your lawn looks its best with minimal effort.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100RPM
Cutting Width	42cm
Line Diameter	2-2,7mm
Weight (Bare Version)	5,9kg
Motor Type	Brushless

RECOMMENDED ACCESSORIES	
DT20905-QZ	Trimmerline 2,7 mm x 55 m
DT20906-QZ	Trimmerline 2,7 mm x 210 m
DT20904-QZ	Brush Cutter Adapter Set

ART.NR.	PRODUCT DESCRIPTION
DCMST911N-XJ	54V XR FLEXVOLT® String Trimmer - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

NEW

54V XR FLEXVOLT® STRING TRIMMER BULL, DCMST922*

The DCMST922 cordless string trimmer offers unmatched precision and comfort for your lawn care needs. Equipped with a powerful 54V battery, it ensures consistent performance for tackling even the toughest grass. The LED user interface provides real-time updates on battery status, keeping you informed throughout your task. Its magnesium gearcase offers a lightweight yet durable design, minimizing fatigue and maximizing durability. Featuring an ergonomic bull handle and a deluxe harness, this trimmer provides superior comfort and control, making extended use effortless. Ideal for professional landscapers, the DCMST922 ensures your lawn looks immaculate with minimal effort.

SPECIFICATIONS	
Power Voltage	54 V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	42 cm
Line Diameter	2-2,7 mm
Weight (Bare Version)	6,6 kg
Motor Type	Brushless
RECOMMENDED ACCESSORIES	
DT20905-QZ	Trimmerline 2,7 mm x 55 m
DT20906-QZ	Trimmerline 2,7 mm x 210 m
DT20904-QZ	Brush Cutter Adapter Set

ART.NR.	PRODUCT DESCRIPTION
DCMST922N-XJ	54V XR FLEXVOLT® String Trimmer Bull - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEXVOLT® BRUSH CUTTER, DCMBC812*

The DCMBC812 brush cutter is expertly crafted for those who demand efficiency and durability in their outdoor equipment. Powered by a robust 54V battery, it delivers consistent cutting power, making it ideal for managing dense brush and overgrown areas. The LED user interface provides real-time updates on battery status and performance, ensuring you stay informed and in control. Its magnesium gearcase offers a lightweight yet durable design, reducing fatigue during prolonged use. Paired with a deluxe harness, this tool ensures superior comfort and support, allowing for extended operation with ease.

Perfect for professional landscapers, the DCMBC812 ensures your property looks its best with minimal effort.

SPECIFICATIONS	
Power Voltage	54 V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (BareVersion)	6,8 kg
Motor Type	Brushless
RECOMMENDED ACCESSORIES	
DT20695-QZ	Line Trimmer Adapter Set
DT20653-QZ	Bruch Cutter Tri Blade
DT20655-QZ	Bruch Cutter 4 Tooth Blade

ART.NR.	PRODUCT DESCRIPTION
DCMBC812N-XJ	54V XR FLEXVOLT® Brush Cutter - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

NEW

54V XR FLEXVOLT® BRUSH CUTTER BULL, DCMBC823*

The DCMBC823 brush cutter is designed for those who seek power and precision in tackling tough outdoor tasks. Featuring a high-capacity 20V MAX battery, it ensures consistent and robust cutting performance, perfect for dense brush and challenging terrain. The LED user interface provides real-time updates on battery life and tool performance, keeping you informed and in control. Its magnesium gearcase offers a lightweight yet durable construction, minimizing fatigue during extended use. The ergonomic bull handle and deluxe harness enhance comfort and control, allowing for smooth and efficient operation. Transform your yard work experience with the DCMBC823, where durability meets ease.

SPECIFICATIONS	
Power Voltage	54 V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (Bare Version)	6,8 kg
Motor Type	Brushless
RECOMMENDED ACCESSORIES	
DT20695-QZ	Line Trimmer Adapter Set
DT20653-QZ	Bruch Cutter Tri Blade
DT20655-QZ	Bruch Cutter 4 Tooth Blade

ART.NR.	PRODUCT DESCRIPTION
DCMBC823N-XJ	54V XR FLEXVOLT® Brush Cutter Bull - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

NEW

54V XR FLEXVOLT® FORESTRY SAW BULL, DCMBC723*

The DCMBC723 forestry saw is engineered for professionals who require power and precision in demanding environments. Equipped with a high-performance 54V battery, it delivers reliable cutting power for heavy-duty forestry tasks. The LED user interface provides real-time feedback on battery life and tool performance, ensuring optimal efficiency and control. Its magnesium gearcase offers a lightweight yet robust construction, reducing operator fatigue during extended use. The ergonomic bull handle and deluxe harness enhance comfort and stability, allowing for precise maneuverability. Tackle the toughest forestry challenges with the DCMBC723, where innovation meets rugged reliability.

SPECIFICATIONS	
Power Voltage	54 V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (Bare Version)	6,8 kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMBC723N-XJ	54V XR FLEXVOLT® Forestry Saw Bull - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

DEWALT®

CUT FAST WITHOUT GAS

Batteries sold separately.

DCMCST635*
54V TOP HANDLE CHAINSAW

This professional tree service chainsaw is engineered for maneuverability and is ideal for tough tree pruning and removal. Featuring a chain speed of 23 m/s, 1800 W Peak Power**, and adjustable oiling, this chainsaw delivers up to 160 cuts per charge***. The DEWALT® 54V Top Handle Chainsaw is built with user safety and control in mind, equipped with a strong harness attachment point and an advanced LED dashboard, keeping users updated on status every step of the way. Warning: This chain-saw is for use by trained tree service operators only. Use without proper training can result in severe injuries.

54V XR FLEXVOLT

*Available exclusively in Outdoor Dealers channel only.
**Using DCB547 battery.
***Using DCB547 battery, tested on 4"x4" Pressure-Treated Pine.

BE THE FIRST TO HEAR DEWALT® NEWS

WELCOME TO MyDEWALT

Have a tough love for tools? Serious about your tools? Then why not be part of our community that takes this passion to the max? Joining lets you unlock extended tool warranties, gives quick access to news and events, and helps you easily see your tool inventory.

WHY JOIN?

As a MyDEWALT user, you can extend the warranty on some of your DEWALT® tools to 3 years. Just subscribe at MyDEWALT, follow the instructions on how to register your new product and add it to your Tool Overview within 4 weeks of purchase.

- Register your products for an extended warranty of up to 3 years
- Get the latest news, updates, and deals as soon as they're available
- Leave reviews on products
- Be part of the community

CREATE AN ACCOUNT

Already registered? Sign in here

HTTPS://CEE.DEWALT.GLOBAL/MY-DEWALT

https://cee.DEWALT.global

The yellow and black colour scheme is used on DEWALT® Power Tools and Accessories as a trademark. DEWALT® cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

All prices in the leaflet are recommended retail prices (RRP) in Euro ex and incl VAT.

Be the first to see product news and special offers from DEWALT®. Register at MYDEWALT!

REGISTER AT

MY DEWALT®